

Are your MRI contrast agents cost-effective?
Learn more about generic Gadolinium-Based Contrast Agents.



AJNR

ERRATUM

AJNR Am J Neuroradiol 2015, 36 (3) E26
doi: <https://doi.org/10.3174/ajnr.A4250>
<http://www.ajnr.org/content/36/3/E26>

This information is current as
of May 14, 2024.

The authors apologize and state that in the original article “WEB-DL Endovascular Treatment of Wide-Neck Bifurcation Aneurysms: Short- and Midterm Results in a European Study” by B. Lubicz, J. Klisch, J.-Y. Gauvrit, I. Szikora, M. Leonardi, T. Liebig, N.P. Nuzzi, E. Boccardi, F.D. Paola, M. Holtmannspötter, W. Weber, E. Calgliari, V. Sychra, B. Mine, and L. Pierot [*AJNR Am J Neuroradiol* 2014;35:432–38, 10.3174/ajnr.A3869], there is an error in the author affiliations of Prof. M. Leonardi (M.L.). The correct version is given below.

Department of Neuroradiology (M.L.), Ospedale Bellaria, IRCCS Istituto delle Scienze Neurologiche di Bologna and DIMES, Department of Specialty, Diagnostic and Experimental Medicine, University of Bologna, Bologna, Italy.

<http://dx.doi.org/10.3174/ajnr.A4250>