

Generic Contrast Agents

Our portfolio is growing to serve you better. Now you have a *choice*.



[VIEW CATALOG](#)

AJNR

Reply:

A.W. Korutz, T.A. Hijaz, J.D. Collins and A.J. Nemeth

AJNR Am J Neuroradiol published online 1 March 2018

<http://www.ajnr.org/content/early/2018/03/01/ajnr.A5575>

This information is current as
of May 9, 2025.

REPLY:

We would like to thank Dr Kanal for his interest in our article and his recent comments in response to our publication, “Pacemakers in MRI for the Neuroradiologist.” We agree with Dr Kanal that our responsibility as radiologists is to perform risk-benefit-based assessments on a patient-by-patient basis before approving or rejecting an MR imaging examination in a patient with a non-MR imaging–conditional device. However, we would like to reiterate that the goal of our article was to provide both a safe/conservative and practical framework that a nonexpert radi-

ologist could use in his or her own clinical practice. While certainly not exhaustive, we hope that our publication can help give patients who would have previously been deemed unsuitable for MR imaging examinations greater access to these tests in the future.

 **A.W. Korutz**

Department of Radiology

 **T.A. Hijaz**

Department of Radiology

 **J.D. Collins**

Department of Radiology

 **A.J. Nemeth**

Departments of Radiology and Neurology
Northwestern University Feinberg School of Medicine
Chicago, Illinois

<http://dx.doi.org/10.3174/ajnr.A5575>