Case	Age at Presentation (yr)	Sex (M/F)	Side of Lesion (R/L)	Size of Lesion (mm)	Clinical Indication for First Brain MRI and Any Other Relevant Findings on Scan	Imaging Follow-Up							
							1	74	М	L	6	Large basilar tip aneurysm seen on CT; large wide-neck basilar tip aneurysm; no other relevant abnormality	Stable at 53 mo
							2	67	F	R	5	Imbalance	Stable at 12 mo
3	52	F	R	5	Prior hemorrhage in left frontal lobe of uncertain etiology	Stable at 6 mo							
4	26	F	R	3	Rosette-forming glioneuronal tumor in posterior third ventricle and upper cerebral aqueduct; follow-up scans for tumor; no remote meningeal disease	Stable longitudinally with a prior scan >77 mo ago							
5	49	М	L	5	C5/6 discitis following C6/7 ACDF with follow-up scan	Stable at 12 mo							
6	47	М	R	3	Headache; superior sagittal sinus DAVF found; follow-up scan for DAVF	Stable at 12 mo							
7	40	М	R	3	Squamous cell carcinoma of the face with perineural spread and follow-up scan	Stable at 20 mo							
8	74	М	R	3	Right petrous meningioma with follow-up scan	Stable at 13 mo							
9	33	М	Bilateral	2 and 2	Recurrent astrocytoma; scan showed increase in tumor size but no other findings to suggest meningeal disease	Stable at 6 mo							
10	47	F	L	4	Change in pattern of headache and alteration in sense of smell; no other abnormality on scan	None available							
11	46	М	L	2	Pain behind right eye; no other abnormality	None available							
12	78	F	L	5	Cryptogenic drop attacks; no other abnormality on scan	None available							
13	57	М	Bilateral	6 and 2	Recent 36-hour episode of ataxia; 3-mm AcomA aneurysm; no other abnormality on scan	None available							
14	41	F	R	4	Right-sided tinnitus and headache	None available							

Note:—AcomA indicates anterior communicating artery; DAVF, dural arteriovenous fistula; ACDF, anterior cervical decompression and fusion; R, right; L, left.